


Surface quality S.D:
 < 40/20 (preferibile 20/10)

Surface flatness: $\lambda/4 @ 633 \text{ nm}$ (attraversamento)


Test Area: $\varnothing 150$ a spot

Surface quality S.D:

< 40/20 (preferibile 20/10)



Surface texture symbol: $/// 2' A B$



3D VIEW

NOTA 1: MATERIALE: Fused Silicia 7980 5F (UV grade 283 nm)
 NOTA 2: TRATTAMENTO:
 NOTA 3: TRATTAMENTO:
 NOTA 4: SMUSSI DI LAVORAZIONE: 0.1-0.5

NOTE 1: MATERIAL: Fused Silicia 7980 5F (UV grade 283 nm)
 NOTE 2: COATING ACCORDING TO:
 NOTE 3: COATING ACCORDING TO:
 NOTE 4: CHAMFERS: 0.1-0.5

N° REV.	DATA/DATE	NOTE DI REVISIONE / NOTES OF REVISION
SE NON DIVERSAMENTE SPECIFICATO / UNLESS OTHERWISE SPECIFIED /		Gestione Silo srl Via di Castelpulci 14/d 50010 Scandicci Firenze WWW.SILO.IT
TOLLERANZE GENERALI DIMENSIONI LINEARI E ANGOLARI TOLLERANZE GENERALI DI FORMA SECONDO / GENERAL TOLERANCE FOR LINEAR AND ANGULAR DIMENSIONS AND GENERAL GEOMETRIC TOLERANCE ACCORDING TO / ISO 10110		
DESEGNO DA / DRAWN BY Vasco Milli		DENOMINAZIONE / TITLE Finestra ottica 208x55x5
CONTROLLATO DA / CHECKED BY		DATA/DATE 23/10/2020
APPROVATO DA / APPROVED BY		DISEGNO N° / DRAWING N° P208PFI0FS79805F-1283
PESO / WEIGHT (g) 140.57		QT. 1
		SCALA/SCALE 1:2
FOGLIO / SHEET 1		DI/OF 1